



Motor Starter & Control Units
Agricultural | Domestic | Industrial



ISO 9001:2015



CE ROHS



SCAN QR CODE FOR
OUR PRODUCT CATALOGS



visit at : www.sknbentex.com



Satish Chopra
Founder Chairman & MD



SKN products are at the forefront of innovation in the field of electrical devices with latest International design and technology. At SKN we are leveraging on a sophisticated infrastructure, which is well equipped with modernized machinery this in turn, assists us in manufacturing premium quality product range. A commitment to strive relentlessly, to constantly improve ourselves, our teams, our services and products so as to become the best in class. We have an R&D department that strives hard to maximize product serviceability while minimizing manufacturing costs. In our enriching journey, we are efficiently supported by skilled professionals, who endeavour expertise across technology to enable a timely delivery of the products. These experts hold vast knowledge of their domain and simultaneously keep themselves abreast with advancements. All our products pass through latest & toughest quality control tests and carry the assurance of international quality standards. Our products are being marketed all over India through Sales Team, Distributors & Dealers network.

Regards
Satish Chopra

CONTENTS

AGRICULTURAL PRODUCTS



	Page No.
AIR BREAK MOTOR STARTERS/PANELS	
• BSDL AIR BREAK DIRECT ON LINE MOTOR STARTERS (MK1 TYPE)	02
• INTELI-ON SMC PANEL (SUBMERSIBLE CONTROL & PROTECTION UNIT)	
• INTELI-ON AC SINGLE PHASE SMART SUBMERSIBLE PUMP CONTROL PANEL	03
• INTELI-ON DC SINGLE PHASE SMART SUBMERSIBLE PUMP CONTROL PANEL	
• MICRO AIR BREAK DIRECT ON LINE MOTOR STARTER	04
• MICRO DIGI AIR BREAK DIRECT ON LINE MOTOR STARTER	
• INTELI- ON DOL (DIRECT ON LINE) (MOTOR CONTROL & PROTECTION UNIT)	05
• INTELI- ON STAR DELTA (MOTOR CONTROL & PROTECTION UNIT)	
OIL IMMERSED STARTERS	
• BOI OIL IMMERSED DIRECT ON LINE MOTOR STARTERS	06
• BSA OIL IMMERSED SEMI AUTOMATIC STAR DELTA STARTERS	
• FAB OIL IMMERSED FULLY AUTOMATIC STAR DELTA STARTERS	07
• SSD OIL IMMERSED MANUAL STAR DELTA STARTERS	
• BOI SPP OIL IMMERSED SINGLE PHASE CONTROL PANELS	
SUBMERSIBLE PUMP PANELS	
• BOIP OIL IMMERSED DIRECT ON LINE PANELS	08
• BSAP OIL IMMERSED SEMI AUTOMATIC STAR DELTA PANELS	
• FABP OIL IMMERSED FULLY AUTOMATIC STAR DELTA PANELS	



Air Break Motor Starters/Panels

BSDL AIR BREAK DIRECT ON LINE MOTOR STARTERS (MK/ TYPE)

TYPE : BSDL

SINGLE PHASE				HSN CODE 85369010
CAT NO.	HP	RELAY RANGE	PRICE	STD. PKG
BSDL1	1	6-10A	1975.00	12
BSDL2	2	9-14A	1975.00	12
BSDL3	3	13-21A	1975.00	12



BSDL

THREE PHASE				HSN CODE 85369010
CAT NO.	HP	RELAY RANGE	PRICE	STD. PKG
BSDL1	1	1.5-2.5A	1975.00	12
BSDL2	2	2.5-4A	1975.00	12
BSDL3	3	4-6.5A	1975.00	12
BSDL5	5	6-10A	1975.00	12
BSDL7.5	7.5	9-14A	1975.00	12
BSDL10	10	13-21A	2175.00	12
BSDL15	15	20-32A	2620.00	12

Standard Packing - 12 Pcs.



BCDL AIR BREAK DIRECT ON LINE MOTOR STARTERS (CONTACTOR TYPE)

TYPE : BCDL

THREE PHASE				HSN CODE 85369010
CAT NO.	HP	RELAY RANGE	PRICE	STD. PKG
BCDL3	3	4-6.5A	4600	12
BCDL5	5	6-10A	4600	12
BCDL7.5	7.5	9-14A	4600	12
BCDL10	10	13-21A	4600	12
BCDL12.5	12.5	13-21A	4600	12
BCDL15	15	20-32A	4700	12
BCDL20	20	20-32A	4850	12

Standard Packing - 12 Pcs.

SMCSINGLEPHASESUBMERSIBLECONTROL&PROTECTIONUNIT

HSN CODE : 85371000

ProductID	HP	kW	Start(mfd)	Capacitor	Run(mfd)	MCBRANGE	PRICE
SMCSP1022M	1 HP	0.75	100-120		36	16 Amp.	3090.00
SMCSP1522M	1.5 HP	1.125	120-150		50	20 Amp.	3450.00
SMCSP2022M	2 HP	1.5	150-200		72	25 Amp.	3690.00
SMCSP3022M	3 HP	2.25	200-250		105	32 Amp.	3990.00



SMCSINGLE
PHASEPANEL

Single Phase Submersible Control Panel, Digital Volt & Amp Meter, Heavy Duty Two Pole Contactor, C-Type MCB For Overload & Short Circuit Protection, Powder Coated Sheet Metal Enclosure.

Standard Packing - 8 Pcs.



Motor Controllers

INTELI-ON SINGLE PHASE SMART SUBMERSIBLE PUMP CONTROL PANEL INTELI ON AC

HSN CODE : 85371000

Product ID	HP	kW	Start (mfd)	Capacitor	Run(mfd)	RELAY RANGE	MRP
IONSP1022A	1 HP	0.75	80-100		36	6-10 Amp.	3465.00
IONSP1522A	1.5 HP	1.125	100-120		50	9-14 Amp.	3760.00
IONSP2022A	2 HP	1.5	120-150		72	9-14 Amp.	3940.00
IONSP3022A	3 HP	2.25	150-200		105	13-21 Amp.	4340.00
IONSP5022A	5 HP	3.75	200-250 (2)		105 (2)	20-32 Amp.	5990.00



**Intel- ON AC
CONTACTOR**

Smart Single Phase Submersible Control Panel, Digital Volt & Amp Meter, Digital Overload Relay, Dry Run Protection, Digital Error Indication, High & Low Voltage Protection, Short Circuit Protection, Off Delay Timer, Two Pole Contactor, Powder Coated Sheet Metal Enclosure.

- Adjustable over and Low Voltage Protection.
- Adjustable Digital Overload and dry run Tripping
- User Friendly
- Adjustable Off Timer
- Code Error Indications for Over/ Low Voltage, Dry Run and Overload condition
- Easy Installation

Standard Packing - 8 Pcs.

INTELI-ON SINGLE PHASE SMART SUBMERSIBLE PUMP CONTROL PANEL INTELI ON DC

HSN CODE : 85371000

Product ID	HP	kW	Start (mfd)	Capacitor	Run(mfd)	RELAY RANGE	MRP
IONSP1022D	1 HP	0.75	80-100		36	6-10 Amp.	3755.00
IONSP1522D	1.5 HP	1.125	100-120		50	9-14 Amp.	4050.00
IONSP2022D	2 HP	1.5	120-150		72	9-14 Amp.	4230.00
IONSP3022D	3 HP	2.25	150-200		105	13-21 Amp.	4630.00
IONSP5022D	5 HP	3.75	200-250 (2)		105 (2)	20-32 Amp.	6280.00



**Intel- ON DC
CONTACTOR**

Smart Single Phase Submersible Control Panel , Digital Volt & Amp Meter, Digital Overload Relay, Dry Run Protection, Digital Error Indication, High & Low Voltage Protection, Short Circuit Protection, Off

- Adjustable over and Low Voltage Protection.
- Adjustable Digital Overload and dry run Tripping
- User Friendly
- Adjustable Off Timer
- Code Error Indications for Over/ Low Voltage, Dry Run and Overload condition
- Easy Installation

Standard Packing - 8 Pcs.



Motor Controllers

MICRO - DOL (Direct On Line) Motor Controller

MICRO

HSN CODE : 85371000

HP	KW	RELAY RANGE	PRICE/UNIT (RS.)
5 HP	3.7	6-10 Amp.	3550.00
7.5 HP	5.5	9-14 Amp.	3550.00
10 HP	7.4	13-21 Amp.	3665.00
12.5 HP	9.3	20-32 Amp.	3665.00
15 HP	11.1	20-32 Amp.	3880.00



MICRO

Features -

- High And Low Voltage Protection
- Overload And Dry Run Protection
- Automatic/Manual Operation
- Noise And Vibration Free Operation
- Quick & Simple Installation And User Friendly

Standard Packing - 10 Pcs.

MICRO DIGI - DOL (Direct On Line) Digital Motor Controller

MICRO DIGI

HSN CODE : 85371000

HP	KW	RELAY RANGE	PRICE/UNIT (RS.)
5 HP	3.7	6-10 Amp.	3800.00
7.5 HP	5.5	9-14 Amp.	3800.00
10 HP	7.4	13-21 Amp.	3930.00
12.5 HP	9.3	13-21 Amp.	3930.00
15 HP	11.1	20-32 Amp.	4100.00



MICRO DIGI

Features -

- High And Low Voltage Protection
- Overload And Dry Run Protection
- Automatic/Manual Operation
- Noise And Vibration Free Operation
- Quick & Simple Installation And User Friendly

Standard Packing - 10 Pcs.



Intelligent Motor Control & Protection Unit

INTELI-ON DOL (DIRECT ON LINE MOTOR CONTROL & PROTECTION UNIT)

INTELI-ON DOL

HSN CODE : 85371000

HP	KW	RELAY RANGE	PRICE/UNIT (RS.)
5 HP	3.7	6-10 Amp.	6322.00
7.5 HP	5.5	9-14 Amp.	6322.00
10 HP	7.4	13-21 Amp.	6416.00
12.5 HP	9.3	13-21 Amp.	6416.00
15 HP	11.1	20-32 Amp.	7325.00
20 HP	14.9	30-42 Amp.	7325.00
25 HP	18.6	30-42 Amp.	7587.00



INTELI-ON DOL

Features-

- High and low voltage protection
- Overload and dry run protection
- Cyclic timer, on and off delay timer
- Two separate display to see volt and amp.
- Auto switch provided
- Easy to program Voltage Ue 415V, 50 Hz Current, 0 – 50 Amp Coil Voltage 20-30V DC Microcontroller technology, Dry Run, Inbuilt hour timers with time compensation feature With Line Voltage, Phase Current.

Standard Packing - 4 Pcs.



INTELI-ON
STAR DELTA

INTELI-ON STAR DELTA (MOTOR CONTROL & PROTECTION UNIT)

INTELI-ON STAR DELTA

HSN CODE : 85371000

HP	KW	RELAY RANGE	PRICE/UNIT (RS.)
7.5 HP	5.6	6-10 Amp.	13779.00
10 HP	7.4	6-10 Amp.	13779.00
12.5 HP	9.3	9-14 Amp.	13779.00
15 HP	11.1	12-20 Amp.	14595.00
20 HP	14.9	13-21 Amp.	14595.00
25 HP	18.6	20-32 Amp.	14902.00
30 HP	22.3	20-32 Amp.	14902.00
35 HP	26.1	25-35 Amp.	16953.00
40 HP	29.8	30-42 Amp.	17071.00
50 HP	37.3	35-50 Amp.	17783.00

Features-

- High and low voltage protection
- Overload and dry run protection
- Cyclic timer, on and off delay timer
- Two separate display to see volt and amp.
- Auto switch provided
- Easy to program Voltage Ue 415V, 50 Hz Current, 0 – 50 Amp Coil Voltage 20-30V DC Microcontroller technology, Dry Run, Inbuilt hour timers with time compensation feature With Line Voltage, Phase Current.

Standard Packing - 4 Pcs.



Oil Immersed Motor Starters

BOI OIL IMMERSED SINGLE PHASE MOTOR STARTER
TYPE : BOI (SP) 220 V, Single Phase, 50 Hz, AC (1 HP to 10 HP)

HSN CODE : 85369010

RELAY (AMPS)	6 - 10	9 - 14	13 - 21	13 - 21	25 - 35	30 - 42	42 - 54
H.P.	1	1.5	2	3	5	7.5	10

BOI (SP)

1/1.5/2/3 H.P.
 5 H.P.
 7.5 H.P.
 10 H.P.

M.R.P.

Rs. 2440.00
 Rs. 2585.00
 Rs. 2705.00
 Rs. 3055.00

Standard Packing - 8 Pcs.



**BOI
(SINGLE PHASE)**

DIRECT-ON-LINE OIL IMMERSED MOTOR STARTERS
TYPE : BOI / BOI(W) 415 VAC, Three Phase, 50 Hz, AC (3 HP to 20 HP)

HSN CODE : 85369010

RELAY (AMPS)	4 - 6.5	6 - 10	9 - 14	13 - 21	25 - 35	25 - 35
H.P.	3	5	7.5	10	15	20

3/5/7.5 H.P.
 10/12.5/15 H.P.
 20 H.P.

M.R.P. (BOI L)

Rs. 2480.00
 Rs. 2675.00
 Rs. 2820.00

M.R.P. (BOI(W) with Heavy Wide Copper Kits)

Rs. 2544.00
 Rs. 2735.00
 Rs. 2880.00

Standard Packing - 8 Pcs.



BOI(L)/BOI (W)

BSA OIL IMMERSED SEMI AUTOMATIC STAR DELTA STARTERS
TYPE : BSA / BSA(W) 415 VAC, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6 - 10	10 - 17	10 - 17	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70
RELAY AMPS.	4 - 6.5	6 - 10	6 - 10	9 - 14	13 - 21	20 - 32	20 - 32	25 - 35	30 - 42
H.P.	5	7.5	10	15	20	25	30	35	40



BSA(L)/BSA(W)

*Standard
Packing - 4 Pcs.*

5/7.5/10/12.5/15 H.P.
 20 H.P.
 25/30/35 H.P.
 40 H.P.

M.R.P. (BSA(L))

Rs. 5785.00
 Rs. 6155.00
 Rs. 6525.00
 Rs. 6995.00

M.R.P. BSA(W) with Heavy Wide Copper Kits

Rs. 5980.00
 Rs. 6350.00
 Rs. 6720.00
 Rs. 7190.00

FAB OIL IMMERSED FULLY AUTOMATIC STAR DELTA STARTERS
TYPE : FAB / FAB(W) 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6 - 10	10 - 17	10 - 17	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70
RELAY AMPS.	4 - 6.5	6 - 10	6 - 10	9 - 14	13 - 21	20 - 32	20 - 32	25 - 35	30 - 42
H.P.	5	7.5	10	15	20	25	30	35	40



FAB(L)/FAB(W)

5/7.5/10/12.5/15 H.P.
 20 H.P.
 25/30/35 H.P.
 40 H.P.

M.R.P. FAB (L)

Rs. 6485.00
 Rs. 6855.00
 Rs. 7225.00
 Rs. 7695.00

M.R.P. (FAB(W) with Heavy Wide Copper Kits)

Rs. 6680.00
 Rs. 7050.00
 Rs. 7420.00
 Rs. 7890.00

*Standard
Packing - 4 Pcs.*

Oil Immersed Motor Starters

BOI SPP OIL IMMERSED SINGLE PHASE CONTROL PANELS

TYPE : BOI (SPP) 220 V AC Single Phase 50 Hz (1 HP to 7.5 HP)

HSN CODE : 85371000

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)	STD. PKG.
BOI (SPP) Unit with Condensers	1, 2, 3 HP	4285.00	4
BOI (SPP) Unit with Condensers+O/L Relay	5 HP	6235.00	2
	7.5 HP	6630.00	2

Note:- Rs. 160/- will be charged extra for 3 HP with 20-32A. Relay Range, in place of 13-21A.



BOI (SSP)

SSD OIL IMMERSED MANUAL STAR DELTA STARTERS

TYPE: SSD

HSN CODE : 85369010

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)
Heavy Duty Oil Immersed	0-20 HP	13400.00
Manually Operated Star-Delta Motor Starter	21-30 HP	14400.00
Type : SSD	31-40 HP	15500.00
Type : SSD (E)	41-50 HP	16500.00

Standard Packing - 1 Pc.



SSD



SSD

SSD OIL IMMERSED MANUAL STAR DELTA STARTERS

TYPE : SSD-S Dx.AND SSD-THERMAL

HSN CODE : 85369010

Manually Operated Oil Immersed Star-Delta Motor Starter (With Single Contact) Type : SSD-S Dx	Upto 20	16700.00
	21 - 30	18500.00
	31 - 40	19800.00
	41 - 60	21200.00
Manually Operated Oil Immersed Star-Delta Motor Starter (With Double Contact) Type : SSD-S. Dx	41 - 60	30600.00
	61 - 80	32600.00
	81 - 100	36800.00
Heavy Duty with Double Contact Strip Wound Overload Coil & Cable Entry Box Type : SSD - S. Dx	101 - 125	41000.00
	126 - 150	50250.00
	151 - 200	60300.00

Standard Packing - 1 Pc.

SSXD

Agricultural Products



Submersible Pump Panels

BOIP OIL IMMERSSED DIRECT ON LINE PANELS

TYPE : BOI (TPP) (3 to 20 HP)

HSN CODE : 85371000

DESCRIPTION OF STARTER	RANGE H.P.	WITH 63 A KIT KAT FUSE	WITH 63 A MCCB	PRICE/UNIT (Rs.) WITH 100 A CUT OUT	WITH 100 A MCCB
BOI (TPP)	3 - 7.5 HP	6385.00	7385.00	---	
BOI (TPP)	10 - 15 HP	6560.00		7360.00	7650.00
BOI (TPP)	20 HP	6735.00		7535.00	7835.00



BOI (TPP)
CONTROL PANEL

Standard Packing - 1 Pc.

BSAP OIL IMMERSSED SEMI AUTOMATIC STAR DELTA PANELS

TYPE : BSAP (TPP)

(15 to 40 HP)

HSN CODE : 85371000



BSA (TPP)
CONTROL PANEL

DESCRIPTION OF STARTER	RANGE H.P.	WITH 63 A KIT KAT FUSE	WITH 63 A MCCB	PRICE/UNIT (Rs.) WITH 100 A CUT OUT	WITH 100 A MCCB
BSAP (TPP)	15 HP	10525.00	—	—	
BSAP (TPP)	20 HP	10900.00	—	11700.00	
BSAP (TPP)	25 - 35 HP	—	—	12055.00	
BSAP (TPP)	40 HP	—	—	12555.00	

FABP OIL IMMERSSED FULLY AUTOMATIC STAR DELTA PANELS

TYPE : FABP (TPP)



FAB (TPP)
CONTROL PANEL

DESCRIPTION OF STARTER	RANGE H.P.	WITH 63 A KIT KAT FUSE	WITH 63 A MCCB	PRICE/UNIT (Rs.) WITH 100 A CUT OUT	WITH 100 A MCCB
(15 to 40 HP)					
FABP (TPP)	15 HP	11122.00			
FABP (TPP)	20 HP	11490.00	—	12290.00	
FABP (TPP)	25 - 35 HP	—	—	12635.00	
FABP (TPP)	40 HP	—	—	13110.00	

All the above Models are without Preventors.
Preventor Rs. 1000/- will be charged extra.



CERTIFICATION





GENERAL TERMS & CONDITION

- All prices are on maximum retail price basis inclusive of all duties, GST & any other Tax as applicable
- This price list supercedes all pervious price lists
- Prices are F.O.R. Gurugram
- Prices are subject to change without notice and those ruling at the time of dispatch will be applicable
- All the products listed In the price list carry a warranty, against manufacturing defects for a period of 12* months from the date of purchase
- Prices of other spares will be sent on demand



Authorised Dealer/Distributor



Bentex Control & Switchgear(S) Pvt. Ltd.

📍 5A, Mehrauli Gurgaon Road, Industrial Development Area,
Sector-16, Gurugram Haryana -122001

☎ +91 124-4007585 ✉ Info@sknbentex.com

FOLLOW US ON



Toll Free No.1800 532 2889



www.sknbentex.com